

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Name and address of the applicant

Name and address of the manufacturer

Name and address of the factory

Note: When more than one factory, please report on page 2

Ratings and principal characteristics

Trademark / Brand (if any)

Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

Additional information (if necessary may also be reported on page 2)

A sample of the product was tested and found to be in conformity with

As shown in the Test Report Ref. No. which forms part of this Certificate

AC contactor

Zhejiang Tengen Electric Co.,Ltd.

Sulv Industrial Area, Liushi Town, Yueqing City, Zhejiang Province,

P.R.China

Zhejiang Tengen Electric Co.,Ltd.

Sulv Industrial Area, Liushi Town, Yueqing City, Zhejiang Province,

P.R.China

Zhejiang Tengen Electric Co.,Ltd.

No.332 Liule Road, Liushi Town, Yueqing City, Zhejiang Province,

P.R.China

See the Appendix

TENGEN

TGCA-06M,TGCA
09M,TGCA-12M,TGCA-16M,TGCA-06M...N,TGCA-09M...N,
TGCA-12M...N,TGCA-16M...N,TGCA-06M04,TGCA-09M04,TGCA-12M04,TGCA-16M04,
TGCA-06M08,TGCA-09M08,TGCA-12M08,TGCA-16M08,TGC1-09M,
TGC1-12M,TGC1-16M,TGC1-06M...N,TGC1-09M...N,TGC1-12M...N,TGC1-16M...N,
TGC1-06M04,TGC1-09M04,TGC1-12M04,TGC1-16M04,TGC1-06M08,TGC1-09M08,
TGC1-12M08,TGC1-16M08;

IEC 60947-4-1:2018


00901-CB2021CQC-097893

This CB Test Certificate is issued by the National Certification Body

CHINA QUALITY CERTIFICATION CENTRE

Section 9, No. 188 Nansihuan Xilu, Beijing 100070 P. R. China Tel: +86-10-83886666 Fax: +86-10-83886282 website: http://www.cqc.com.cn

Date: Sep.09,2021







TGCA-06M,TGCA-09M,TGCA-12M,TGCA-16M,TGCA-06M...N,TGCA-09M...N,

TGCA-12M...N,TGCA-16M...N,TGCA-06M04,TGCA-09M04,TGCA-12M04,TGCA-16M04,

TGCA-06M08,TGCA-09M08,TGCA-12M08,TGCA-16M08,TGC1-06M,TGC1-09M,

TGC1-12M,TGC1-16M,TGC1-06M...N,TGC1-09M...N,TGC1-12M...N,TGC1-16M...N,

TGC1-06M04,TGC1-09M04,TGC1-12M04,TGC1-16M04,TGC1-06M08,TGC1-09M08,

TGC1-12M08.TGC1-16M08:

Uimp: 6kV;

Ui: 690V:

Ith: 20A:

Ue: AC220V/230V, AC380V/400V, AC660V/690V:

TGCA-06M, TGC1-06M:

AC-1: Ue/le: AC220V/230V/20A, AC380V/400V/20A, AC660V/690V/20A;

AC-3: Ue/le: AC220V/230V/6A, AC380V/400V/6A, AC660V/690V/3.8A;

AC-4: Ue/le: AC220V/230V/2.6A, AC380V/400V/2.6A, AC660V/690V/1A;

TGCA-09M, TGC1-09M:

AC-1: Ue/le: AC220V/230V/20A, AC380V/400V/20A, AC660V/690V/20A;

AC-3: Ue/le: AC220V/230V/9A, AC380V/400V/9A, AC660V/690V/4.9A;

AC-4: Ue/le: AC220V/230V/3.5A, AC380V/400V/3.5A, AC660V/690V/1.5A;

TGCA-12M, TGC1-12M:

AC-1: Ue/le: AC220V/230V/20A, AC380V/400V/20A, AC660V/690V/20A;

AC-3: Ue/le: AC220V/230V/12A, AC380V/400V/12A, AC660V/690V/4.9A;

AC-4: Ue/le: AC220V/230V/5A, AC380V/400V/5A, AC660V/690V/2A;

TGCA-16M, TGC1-16M:

AC-1: Ue/le: AC220V/230V/20A, AC380V/400V/20A, AC660V/690V/20A;

AC-3: Ue/le: AC220V/230V/16A, AC380V/400V/16A, AC660V/690V/4.9A;

AC-4: Ue/le: AC220V/230V/5A, AC380V/400V/5A, AC660V/690V/2A;

TGCA-06M...N,TGC1-06M...N:

AC-1: Ue/le: AC220V/230V/20A, AC380V/400V/20A, AC660V/690V/20A;

AC-4: Ue/le: AC220V/230V/2.6A, AC380V/400V/2.6A, AC660V/690V/1A;

TGCA-09M...N,TGC1-09M...N:

AC-1: Ue/le: AC220V/230V/20A, AC380V/400V/20A, AC660V/690V/20A;

Page 1 of 2

Additional information (if necessary)

Date:

Sep.09,2021

谢肇照

Signature: —

Xie ZhaoXu





AC-4: Ue/le: AC220V/230V/3.5A, AC380V/400V/3.5A, AC660V/690V/1.5A;

TGCA-12M...N,TGC1-12M...N:

AC-1: Ue/le: AC220V/230V/20A, AC380V/400V/20A, AC660V/690V/20A;

AC-4: Ue/le: AC220V/230V/5A, AC380V/400V/5A, AC660V/690V/2A;

TGCA-16M...N,TGC1-16M...N:

AC-1: Ue/le: AC220V/230V/20A, AC380V/400V/20A, AC660V/690V/20A;

AC-4: Ue/le: AC220V/230V/5A, AC380V/400V/5A, AC660V/690V/2A;

Us: AC24V,AC36V,AC48V,AC110V,AC220V,AC380V,AC400V,AC415V,50Hz,50/60Hz:

DC24V,DC48V,DC110V,DC220V;

3P,4P:

IP20:

Auxiliary contacts:

FD1

1NO,1NC:

Ith: 10A;

AC-15: Ue/le: AC220V/1.6A, AC380V/0.95A;

DC-13: Ue/le: DC220V/0.15A;

Page 2 of 2

Additional information (if necessary)

Date:

Sep.09,2021

signature: 湖肇煦

Xie ZhaoXu